

EXPANDED ACREAGE SOLUTIONS




EXTEND YOUR IRRIGATION REACH




INCREASE IRRIGATED ACRES WITHOUT BUYING MORE LAND

Zimmatic® by Lindsay offers solutions to maximize irrigation in irregularly-shaped fields or in fields with permanent obstacles. These options add flexibility to existing center pivot irrigation systems by increasing yields and making every acre productive.




9500DS DROP SPAN

Gives you the ability to quickly and easily drop obstructed outer center pivot spans, irrigate and then reattach those spans to continue irrigation.



FIELDPLUS ARTICULATED PIVOT

This articulated pivot extends up to 165° to bring more acres into production in irregular fields or in fields that have immovable obstacles.



9500CC CUSTOM CORNER

With its unique ability to create a custom irrigation program based on your field's characteristics, the 9500CC Custom Corner is a more precise corner system that makes the most of the land you already farm.

EXPANDED ACREAGE SOLUTIONS



**9500DS
DROP SPAN**

The 9500DS drop span irrigates on imperfect fields around permanent obstacles such as buildings, equipment and fences. This option, available for center pivots, gives you the ability to quickly and easily drop obstructed outer spans, irrigate and then reattach those spans to continue irrigation.




BENEFITS

- Quickest drop and reconnection time
- Same size as standard Zimmatic joint – existing wheel tracks don't change
- More end gun choices than the competition with manual and electric valves available
- Telescoping and retractable legs accommodate varying crop heights
- Full 6 5/8 in. (168 mm) diameter hose connection minimizes pressure drop
- Dual winches for faster operation
- Multiple drop spans can be installed on one pivot if needed for multiple field obstructions

FEATURES

- Compatible with Zimmatic 9500, 8500 and pivots with 9500CC
- Auto-reverse functionality
- Cat 5 cable junction module for corner systems
- Available in galvanized and stainless steel pipe for alternative pipeline corrosive water situations



HOW IT WORKS

1) Barricades are installed at each side of the obstacle in your field. 2) When the pivot reaches the "drop zone" barricade, it stops and you detach the outer span(s). 3) The pivot continues to irrigate to the second barricade picking up previously inaccessible acres, then auto-reverses back to the drop zone. 4) You reattach the outer span(s) to resume irrigation as normal.

--- Indicates increased irrigation footprint



**9500CC
CUSTOM CORNER**

The FieldPLUS articulated pivot allows you to irrigated portions of your land previously unreachable by standard pivots. It's easy to use, reliable, and quick to configure.




**FIELDPLUS
ARTICULATED PIVOT**

BENEFITS

- Quick, easy installation
- Multiple joints can be used on a single pivot
- Nylon bearings offer smooth movement and longer life
- Automatic realignment saves time – outer spans return to home position and function as a standard pivot
- Standard 6 5/8 in. (168 mm) split coupler allows full flow with secure, watertight seal
- GPS can be added for more precise control of water and chemicals

FEATURES

- Compatible with 9500P and 8500P
- Valve control allows shutdown of up to two banks of sprinklers
- Constructed with high quality materials



HOW IT WORKS

By placing the exclusive FieldPLUS pivoting joint at nearly any pivot tower, the selected tower then acts as the pivot point, allowing the outer spans to wrap another 165° in either direction for a customized system. The outer spans can continue up to 1,000 feet (304 m) after the pivoting joint to bring a large area of land under irrigation.



PIVOTING JOINT

Spans beyond the pivoting joint can bend up to 165° in either direction. The joint pivots on two nylon bearings for smooth movement and longer life.




HIGH FLOW JOINT

Standard 6 5/8 in. (168 mm) split coupler allows full flow with a secure, watertight seal. It's easily serviced without the use of special equipment.

The 9500CC Custom Corner is the most technologically advanced corner system on the market. With its exclusive SmartChip technology, it provides a more uniform application by adapting to the various unique characteristics of your field.

BENEFITS

- Eliminates the problems of buried wire
- Dual band RTK (Real Time Kinematic) accuracy is standard – no expensive base station or third-party subscription required
- Advanced GPS diagnostics integrated into the 9500CC control panel
- Changes to the corner's path can be made easily



GPS CORNER GUIDANCE

Add even more flexibility to the highest performing corner.

For more details, visit zimmatic.com or talk to your local dealer.

OPTIONAL SOLUTIONS



FieldNET Remote Irrigation Management

Monitor and control pivots, laterals and end guns with this industry-leading technology. Stay informed with text message alerts and status updates.



NFTrax – Airless Wheel Assembly

Airless wheel assembly will never go flat and keeps wheel ruts to a minimum, saving time, labor and replacement costs.

Find out how Expanded Acreage Solutions can benefit your operation. Visit www.zimmatic.com or talk to your Zimmatic® by Lindsay dealer.



THE LINDSAY ADVANTAGE

DURABLE • RUGGED • EASY TO USE • INTEGRATED TECHNOLOGIES • BROADEST LINE OF SOLUTIONS



2222 N. 111th St., Omaha, NE 68164 • 1-800-829-5300 • 1-402-829-6800 • www.lindsay.com

Lindsay USA: 2222 N. 111th St., Omaha, NE 68164 • **Lindsay Africa:** 6 Talana Close, Sacks Circle, Bellville South, 7530, South Africa

Lindsay Brazil: Rodovia Adhemar Pereira de Barros - SP 340 KM 153, 5 - Caixa Postal 1001 CEP 13804-830, Mogi-Mirim, Sao Paulo, Brazil

Lindsay Europe: L'Épingleterie 72300 La Chapelle d'Aligné, France • **Lindsay International BV:** Weena 278, Tower B, 7th floor, 3012 NJ Rotterdam

Russian Branch of Lindsay International BV: Russia, 350063 Krasnodar City, ul.Sovetskaya, 30, office 1202

Lindsay Sulama (Turkey): Karamahmet Mahallesi, Avrupa Serbest Bölgesi, 4.Cadde No3 Ergene-Tekirdag/TURKEY

Lindsay (Tianjin) Industry Co. Ltd. Beijing Sales Branch: Room 501, No. 55 Nongzhanguan North road Chaoyang District Beijing, 100125 China

Lindsay Australia Warehouse: Lindsay International (ANZ) Pty Ltd 19 Spencer Street Toowoomba QLD 4350

Lindsay NZ: 581 Taonui Road Feilding



Lean, Clean and Green. Lindsay Corporation is committed to developing environmental awareness and implementing sustainable practices to reduce the use of and protect energy, water, and all other resources.



© 2017 Lindsay. All rights reserved. Zimmatic, FieldNET, Watertronics and LAKOS are trademarks or registered trademarks of the Lindsay Corporation and its subsidiaries. All brand names are trademarks or registered trademarks of their respective companies.



EXPANDED ACREAGE BRO
ENG-2005 1500 0117